

MENLO CHURCH PLANNING SUBMITTAL NARRATIVE

Renewing a Welcoming Front Door for Menlo Park

Why Menlo Church's Welcome Center Building and Santa Cruz Avenue Frontage Matter for the Community

For generations, Menlo Church has been a visible and active part of the Menlo Park community. Located along Santa Cruz Avenue at the southern transition into Menlo Park's downtown district, the church campus helps shape the experience of residents, pedestrians, families, visitors, and neighbors as they enter downtown from the south. At this location, Santa Cruz Avenue begins to shift from a residential corridor into the more active downtown environment. Menlo Church sits directly across from Camp Fremont Park, creating an opportunity for the church frontage to complement the park-like character of the area and contribute to a more beautiful, welcoming entry into downtown Menlo Park.

The proposed improvements to the Welcome Center building and front patio area are focused on renewing this highly visible edge of the campus and creating a hospitable "front porch" for the church and the surrounding community.

Welcome Center Building Improvements

The Welcome Center building improvements include interior tenant improvements that will refresh and improve spaces supporting weekend services, weekday ministries, care, counseling, hospitality, children's ministry, weekday preschool, and other community-facing activities.

The renovated Welcome Center will serve as an active point of hospitality during weekend services and events, while also improving the visibility and accessibility of church activities from Santa Cruz Avenue. For people arriving for worship, seeking care or assistance, attending a meeting, bringing children to ministry or preschool programs, or visiting the campus for the first time, these improvements will help create a clearer and more welcoming experience.

The project also includes a modest building expansion on the campus-interior side of the Welcome Center building to provide additional square footage for children's activities. This work will enclose and absorb an existing trash and mechanical yard into the building footprint, roof over that area, and convert it into usable interior program space. As part of this improvement, the trash location will be relocated toward the front of the Welcome Center building near the café service area, and mechanical equipment will be moved to the roof of the newly added square footage.

Together, these improvements allow the church to make better use of its existing campus, support children and families more effectively, and improve the function and appearance of service areas that are currently less integrated into the overall building.

Santa Cruz Avenue Front Porch and Patio Improvements

The front patio improvements are designed to transform the existing frontage into a more inviting outdoor gathering space. New seating, landscape improvements, play elements for children, family gathering areas, and appropriately defined safety barriers will create a space that feels both protected and open.

This outdoor area is envisioned as a welcoming front porch for the church — a place for families before and after services, casual conversations, community connection, and day-to-day hospitality. The goal is not simply to improve the appearance of the campus, but to create a generous and approachable place where people feel invited to pause, gather, and belong.

Because the patio faces Camp Fremont Park across the street, the improvements will help create a complementary experience on both sides of Santa Cruz Avenue. Together, the park and the renewed church frontage can help form a more attractive and welcoming transition into the downtown district.

Airstream Hospitality Kiosk and Café Amenity

A key element of the patio concept is a fixed, site-integrated Airstream-style hospitality kiosk that will serve coffee, espresso, other non-alcoholic beverages, and light pre-packaged grab-and-go snacks. This amenity is intended to support weekend church gatherings while also creating a warm and approachable presence for the broader public.

The Airstream is not intended to function as a mobile food truck or full restaurant. It is a design-integrated placemaking element that helps activate the patio, bring energy to the frontage, and extend the church's posture of hospitality toward the neighborhood. Its presence, along with outdoor seating, landscaping, and family-friendly gathering space, will help the patio feel like a natural and welcoming part of the pedestrian experience along Santa Cruz Avenue.

Investing in an Existing Community Resource

Rather than building a new campus elsewhere, this project focuses on renewing an existing community resource in an important and visible location within Menlo Park. The goal is to improve beauty, accessibility, safety, hospitality, and long-term functionality while strengthening the church's contribution to the surrounding neighborhood.

By refreshing the Welcome Center building, activating the Santa Cruz Avenue patio, adding needed space for children and families, and creating a welcoming front porch across from Camp Fremont Park, Menlo Church is investing in a more generous and visible community presence for many years to come.

MENLO PARK CAMPUS
MENLO CHURCH
T/I FOR EXISTING BUILDING "B"
WELCOME CENTER

950 SANTA CRUZ AVENUE, MENLO PARK, CA

*RENDERING SHOWN ABOVE IS A PRELIMINARY ARTIST CONCEPT ONLY. RENDERING MAY NOT REFLECT THE FINAL CONSTRUCTED CONDITION OR ACTUAL EXTERIOR AND INTERIOR COLORS, AND FINISH MATERIALS, WHICH WILL BE DETERMINED DURING THE DESIGN PROCESS AND INCLUDED IN THE CONSTRUCTION DOCUMENTS FOR THE PROJECT. THIS CONCEPT MAY ALSO REQUIRE MODIFICATION BASED ON OWNER'S OVERALL PROJECT BUDGET AND ACTUAL CONSTRUCTION COST ESTIMATES ONCE DETERMINED.

DESIGN REVIEW

05/26/2026

ARCHITECTURAL			
CS	COVER SHEET		

CIVIL			
C-3.0	UTILITY PLAN		

ARCHITECTURAL			
A1.0	EXISTING SITE PLAN		
A1.1	PROPOSED SITE PLAN		
A2.0	EXISTING FLOOR PLAN - BLDG B		
A2.1	DEMOLITION FLOOR PLAN - BLDG B		
A2.2	CODE ANALYSIS PLAN - BLDG B		
A2.3	DIMENSION PLAN - BLDG B		
A5.1	ROOF PLAN - BLDG B		
A6.0	EXISTING WELCOME CENTER BUILDING "B" ELEVATION		
A6.1	BUILDING ELEVATION AND SECTIONS		
A6.4	ENLARGED EXTERIOR ELEVATIONS		



LANDSCAPE	
L100	LANDSCAPE - TITLE SHEET
L101	LANDSCAPE - OVERALL SITE PLAN
L201K	LANDSCAPE - DEMOLITION PLAN
L210	LANDSCAPE - GRADING DESIGN INTENT PLAN
L300	LANDSCAPE - CONSTRUCTION SCHEDULE
L301	LANDSCAPE - HARDCAPE PLAN
L401	LANDSCAPE - ILLUSTRATIVE SITE PLAN
L600	LANDSCAPE - HARDCAPE DETAILS - PAVING
L630	LANDSCAPE - HARDCAPE DETAILS - MISCELLANEOUS
L701	LANDSCAPE - IRRIGATION DESIGN INTENT PLAN
L800	LANDSCAPE - PLANTING LEGEND
L801	LANDSCAPE - TREE PLANTING PLAN
L901	LANDSCAPE - SHRUB PLANTING PLAN
L950	LANDSCAPE - PLANTING DETAILS
SP1.2	AERIAL SITE PLAN - FOR REFERENCE ONLY

[illegible]

CLIENT NAME: **MENLO CHURCH**
PROJECT NAME: **MENLO WELCOME CENTER BLDG B**
ADDRESS: 950 SANTA CRUZ AVENUE, MENLO PARK, CA
SHEET NAME: **COVER SHEET**

BUILDING PERMIT NO.	
PERMIT #	
USE PERMIT NO.	
Approver	
PROJECT MANAGER	
PM	
PROJ. NO.	SLA-4322
DATE	05/26/2026
PROJECT STATUS	
DESIGN DEVELOPMENT	
SHEET NO.	

PROGRESS PLANS
NOT FOR CONSTRUCTION



STORM DRAIN KEYNOTES 10 TO X

INSTALL (N) ON-SITE STORM DRAIN SYSTEM. USE MINIMUM 6" PVC (SDR 35) OR HDPE (ADS N-12 W/ SMOOTH INTERIOR WALLS). MAINTAIN 24" MINIMUM COVER AND SLOPED AT 1% MINIMUM AT ALL TIMES UNLESS OTHERWISE NOTED. PROVIDE CLEANOUT TO GRADE AT MAJOR CHANGES IN DIRECTION. AVOID USING 90° BENDS AND INSTEAD USE (2) 45° BENDS AND WYE CONNECTIONS.

INSTALL (N) SUBDRAIN. USE PERFORATED 4" PVC (SDR-35) WITH HOLES DOWN AND SLOPED AT 1% MINIMUM SURROUND WITH 3/4" DRAIN ROCK WRAPPED IN FILTER FABRIC (MIRAFI 140N). MIRADRAIN OR OTHER LEA & BRAZE PREAPPROVED DRAINAGE SYSTEM MAY ALSO BE USED. AVOID USING 90° BENDS AND INSTEAD USE (2) 45° BENDS AND WYE CONNECTIONS. PROVIDE CLEANOUT TO GRADE AT MAJOR CHANGES IN DIRECTION AND AT 100' MAXIMUM INTERVALS. SUBDRAIN SHALL REMAIN A DEDICATED SEPARATE SYSTEM UNTIL IT CONNECTS TO STORM DRAIN SYSTEM OR OUTFALL AS SHOWN. SEE DETAIL X ON SHEET C-X.

CONSTRUCT (N) EARTHEN SWALE SLOPED AT 1% MINIMUM TOWARDS POSITIVE OUTFALL. SEE DETAIL X ON SHEET C-X.

UTILITIES KEYNOTES 31 TO X

INSTALL (N) SANITARY SEWER LATERALS. USE 4" PVC (SDR-26) SLOPED AT 2% MINIMUM. CONNECT TO (E) SEWER MAIN AS SHOWN. PROVIDE CLEANOUT TO GRADE AT BUILDING AND BEHIND PROPERTY LINE AND AT MAJOR CHANGES IN DIRECTION AS SHOWN. REUSE (E) LATERAL IF POSSIBLE. CONNECT PER DISTRICT STANDARDS.

(N) SEWER LATERAL, SEPTIC TANK, AND LEACH FIELD (BY SEPARATE DESIGN). LATERAL SHALL BE 4" PVC (SDR-26 OR BETTER) SLOPED AT 2%.

INSTALL (N) ENVIRONMENTAL ONE SEWER EJECTOR SYSTEM. SEE DETAIL X ON SHEET C-X.

CONNECT (N) WATER SERVICE PER WATER DISTRICT STANDARDS. UPGRADE (E) WATER METER PER WATER DISTRICT STANDARDS AS APPLICABLE. INSTALL (N) 2" MINIMUM SERVICE LINE TO (N) RESIDENCE OR AS DIRECTED BY FIRE SPRINKLER DESIGNER.

INSTALL (N) JOINT TRENCH FOR SERVICES INCLUDING GAS, CATV & ELECTRIC FROM NEAREST POINT OF CONNECTION. DESIGN BY OTHERS.



LEA & BRAZE ENGINEERING, INC.
CIVIL ENGINEERS & LAND SURVEYORS
REGIONAL OFFICES:
MAIN OFFICE: 10000 SAN JUAN AVE., SUITE 100, DUBLIN, CA 94568
SAN JOSE: 10000 SAN JUAN AVE., SUITE 100, SAN JOSE, CA 95131
(510) 887-4086
WWW.LEABRAZE.COM


PRESBYTERIAN CHURCH
950 SANTA CRUZ AVENUE
MENLO PARK, CALIFORNIA
SANTA CLARA COUNTY
APN: 071-084-190

UTILITY PLAN


REVISIONS	BY

JOB NO: 2252172
DATE: 1-XX-26
SCALE: AS NOTED
DESIGN BY: AS
CHECKED BY: ZA
SHEET NO:

C-3.0



LEGEND



- FIRE HYDRANT - REFER TO CIVIL SHEETS FOR MORE INFO
- AREA LIGHT - REFER TO CIVIL SHEETS FOR MORE INFO
- POWER POLE - REFER TO CIVIL SHEETS FOR MORE INFO
- FENCE LINE
- PROPERTY BOUNDARY LINE
- PARCEL LINE
- ACCESSIBLE PATH OF TRAVEL
- EASEMENT
- LIMITS OF WORK
- AREA NOT IN SCOPE

NOTES

MENLO PARK: A TOTAL OF 150 SPACES AROUND CAMPUS OF WHICH 11 ARE DESIGNATED HANDICAPPED PARKING.

THE NUMBER OF PARKING SPACES AVAILABLE AT EACH LOCATION.

- MENLO PARK: A TOTAL OF 150 SPACES AROUND CAMPUS OF WHICH 11 ARE DESIGNATED HANDICAPPED PARKING.
- SARATOGA: A TOTAL OF 131 SPACES OF WHICH 8 ARE DESIGNATED HANDICAPPED PARKING.

REFER TO LANDSCAPE PLAN, SHEET XL201 FOR DEMOLITION INFORMATION

REVISIONS

[illegible]

CLIENT NAME: **MENLO CHURCH**
PROJECT NAME: **MENLO PARK SITE**
ADDRESS: **950 SANTA CRUZ AVENUE, MENLO PARK, CA**
SHEET NAME: **EXISTING SITE PLAN**

BUILDING PERMIT NO.

PERMIT #

USE PERMIT NO.

Approver

PROJECT MANAGER

PM


PROJ NO	PROJECT
---------	---------

DATE 3/9/2026 NO.

DATE	STATUS
PROJECT STATUS	

SCHEMATIC DESIGN

SHEET NO.




EXISTING SITE PLAN

SCALE
1" = 30'-0"

	1
--	---

A1.0



OVERALL SITE PLAN

SCALE
1" = 30'-0"

1

***PRELIMINARY SITE PLAN
COORDINATION ONGOING WITH CIVIL
AND LOCAL JURISDICTION**

LEGEND

- FIRE HYDRANT - REFER TO CIVIL SHEETS FOR MORE INFO
- AREA LIGHT - REFER TO CIVIL SHEETS FOR MORE INFO
- POWER POLE - REFER TO CIVIL SHEETS FOR MORE INFO
- FENCE LINE
- PROPERTY BOUNDARY LINE
- PARCEL LINE
- ACCESSIBLE PATH OF TRAVEL
- EASEMENT
- LIMITS OF WORK
- NEW SF FOOTPRINT
- NOT IN SCOPE

NOTES

1. PROPOSED PREMANUFACTURED PERGOLLA WITH AMBIENT LIGHTING
22'-0" SQUARE COLOR TO BE MT-1: METAL/TRIM CHARCOAL PER A6.4

REVISIONS

NO.	DATE	COMMENT



CLIENT NAME: **MENLO CHURCH**
PROJECT NAME: **MENLO WELCOME CENTER BLDG B**
ADDRESS: 950 SANTA CRUZ AVENUE, MENLO PARK, CA
SHEET NAME: **PROPOSED SITE PLAN**

BUILDING PERMIT NO.
PERMIT #
USE PERMIT NO.
Approver
PROJECT MANAGER
PM
PROJ. NO. SLA-4322
DATE 5/5/2026
PROJECT STATUS
DESIGN DEVELOPMENT
SHEET NO.

A1.1

plainjoestudios
ARCHITECTURE

WWW.PLAINGUESTUDIOS.COM 7345 PIUTE CREEK DR. CORONA, CA 92881
These drawings and the accompanying specifications are instruments of service and are the exclusive property of the Architect. No part of these drawings or specifications may be reproduced, stored in a retrieval system, or used in any form or by any means, electronic, mechanical, photocopying, recording, or by any information storage and retrieval system, without the prior written permission of the Architect. Title to these plans and/or specifications shall remain with the Architect without prejudice and visual content shall remain the confidential property of the Architect.



EXISTING FLOOR PLAN

SCALE
1/8" = 1'-0"

1

LEGEND

KEYNOTES

CLIENT NAME: MENLO CHURCH
PROJECT NAME: MENLO WELCOME CENTER BLDG B
ADDRESS: 950 SANTA CRUZ AVENUE, MENLO PARK, CA
SHEET NAME: EXISTING PLAN


BUILDING PERMIT NO.
PERMIT #
USE PERMIT NO.
Approver
PROJECT MANAGER
PM
PROJ. NO. SLA-4322
DATE 5/18/2026
PROJECT STATUS
DESIGN DEVELOPMENT
SHEET NO.

A2.0

REVISIONS		
NO.	DATE	COMMENT

WWW.PLAINGUESTUDIOS.COM 7345 PIUTE CREEK DR. CORONA, CA 92881

These drawings and the accompanying specifications are the exclusive property of the Architect. No part of these drawings or specifications may be reproduced or used in any form without the written permission of the Architect. If these plans are to be used for any purpose other than that intended by the Architect, the user assumes all responsibility for any errors or omissions. The Architect disclaims any liability for any damages, including consequential damages, arising from the use of these drawings.



LEGEND

INDICATES EXISTING WALLS

INDICATES WALL TO BE DEMOLISHED

INDICATES EXTENTS OF ASPHALT TO BE DEMOLISHED

INDICATES EXTENTS OF CONCRETE TO BE DEMOLISHED

GENERAL NOTES

1. DEMOLITION DRAWINGS PREPARED BY THE ARCHITECT ARE FOR A GENERAL DESCRIPTION OF EXISTING BUILDING COMPONENTS, ASSEMBLIES AND MATERIALS TO BE REMOVED. DEMOLITION CONTRACTOR TO BE RESPONSIBLE FOR VERIFICATION OF ALL EXISTING CONDITIONS AND QUANTITIES.

2. DEMOLITION CONTRACTOR IS RESPONSIBLE FOR PROVIDING NECESSARY PERMITS REQUIRED BY FEDERAL, STATE, AND LOCAL MUNICIPAL AGENCIES HAVING JURISDICTION OVER ANY ASPECT OF THE DEMOLITION SCOPE.

3. DEMOLITION CONTRACTOR TO VERIFY ALL EXISTING CONDITIONS PRIOR TO DEMOLITION.

4. DEMOLITION CONTRACTOR IS RESPONSIBLE FOR REMOVAL AND DISPOSAL OF ALL DEMOLISHED MATERIALS IN A MANNER COMPLIANT TO FEDERAL, STATE, AND LOCAL MUNICIPAL REQUIREMENTS AND GUIDELINES.

5. DEMOLITION CONTRACTOR SHALL COORDINATE ALL WORK SCHEDULES WITH OWNER. IN NO CASE SHALL THE DEMOLITION WORK BE CONDUCTED DURING HOURS PROHIBITED BY LOCAL MUNICIPALITY.

6. PLANS ARE BASED ON EXISTING RECORD DRAWINGS AND VISUAL OBSERVATION. UNIDENTIFIED ITEMS SHALL BE BROUGHT TO THE ATTENTION OF THE OWNER'S REPRESENTATIVE PRIOR TO REMOVAL.

7. ITEMS NOT NOTED SPECIFICALLY FOR REMOVAL SHALL BE PROTECTED IN PLACE.

8. ANY UTILITIES TO BE ABANDONED BELOW EXISTING CONCRETE SHALL BE PERMANENTLY CAPPED.

9. REMOVE EXISTING CEILING FINISHES AND SUBSTRATE AND RELATED SUSPENSION SYSTEMS WHERE NOTED ON DRAWINGS IN ALL ROOMS DESIGNATED TO RECEIVE NEW CEILING FINISHES PER INTERIOR FINISH SCHEDULE.

10. REMOVE EXISTING WALL FINISHES AND SUBSTRATE IN ALL ROOMS DESIGNATED TO RECEIVE NEW WALL FINISHES PER INTERIOR FINISH SCHEDULE.

11. REMOVE EXISTING FLOORING AND BASE IN ALL ROOMS DESIGNATED TO RECEIVE NEW FLOORING AND BASE PER INTERIOR FINISH PLANS.

12. REPAIR ALL SURFACES DESIGNATED TO RECEIVE NEW FLOOR, WALL, AND CEILING FINISHES AS REQUIRED TO PROVIDE A SOUND AND FLUSH SUBSTRATE.

13. ALSO REFER TO CIVIL, STRUCTURAL, PLUMBING, MECHANICAL, AND ELECTRICAL DEMOLITION DRAWINGS FOR ADDITIONAL COORDINATION OF ITEMS TO BE REMOVED OR PROTECTED IN PLACE.

14. SAWCUTTING OF EXISTING WALLS/FOUNDATION SHALL NOT DAMAGE THE EXISTING STRUCTURE/FOOTINGS THAT IS TO REMAIN.

KEYNOTES

KEY VALUE	DESCRIPTION
001	DEMO EXISTING WALLS COMPLETE; TO UNDERSIDE OF SECOND FLOOR, INCLUDING ELECTRICAL POWER COMPONENTS, REFER TO PLAN FOR EXTENTS, PATCH AND REPAIR REMAINING WALL AS NECESSARY
006	DEMO EXISTING FLOORING AND PREPARE CONCRETE SLAB BELOW TO RECEIVE NEW FLOOR FINISH AS SCHEDULED
007	DEMO EXISTING PLUMBING FIXTURES, PROTECT UTILITIES IN PLACE
010	DEMO EXISTING COUNTERTOP AND/OR CASEWORK IN ITS ENTIRETY
015	DEMO EXISTING OPERABLE PARTITION IN ITS ENTIRETY
023	PROTECT IN PLACE EXISTING STRUCTURAL MEMBER
030	DEMO EXISTING DOOR IN ITS ENTIRETY. COORDINATE W/ OWNER'S REP ON RETENTION AND STORAGE OF DOOR AND HARDWARE FOR FUTURE USE
032	DEMO EXISTING WINDOW IN ITS ENTIRETY, PATCH AND REPAIR REMAINING WALL AS NECESSARY
042	PROTECT IN PLACE EXISTING WALL
043	PROTECT IN PLACE EXISTING DOOR
044	DEMO EXISTING COLUMNS AND BEAMS SUPPORTING OPERABLE PARTITION
047	DEMO EXISTING OPERABLE PARTITION POCKET WALLS
048	REMOVE EXISTING CONCRETE SLAB, CMU WALLS AND GATE FOR TRASH ENCLOSURE
061	DEMOLISH EXISTING CONCRETE SLAB, VERIFY LIMITS
063	DEMO & REMOVE EXISTING VERTICAL MECHANICAL SYSTEM
068	DEMO EXISTING CONCRETE SLAB, CMU WALLS AND GATE FOR MECHANICAL YARD, RELOCATE EQUIPMENT
069	DEMO EXISTING ASPHALT PAVING, PREPARE FOR NEW CONCRETE SLAB.
070	RELOCATE EXISTING ENTRY DOOR, SEE FLOOR PLAN FOR LOCATION
074	DEMOLISH EXISTING BOLLARDS, PATCH AND REPLACAE FOR NEW ASPHALT PAVING.
075	EXISTING LIFT TO REMAIN, PROTECT IN PLACE
076	

plainjoestudios
ARCHITECTURE

WWW.PLAJNJOESTUDIOS.COM 7345 PIUTE CREEK DR. CORONA, CA 92881

CLIENT NAME: MENLO CHURCH

PROJECT NAME: MENLO WELCOME CENTER BLDG B

ADDRESS: 950 SANTA CRUZ AVENUE, MENLO PARK, CA

SHEET NAME: DEMOLITION PLAN

PROJ. NO. SLA-4322

DATE 5/5/2026

PROJECT STATUS DESIGN DEVELOPMENT

SHEET NO. A2.1

REVISIONS

NO.	DATE	COMMENT

BUILDING PERMIT NO.

PERMIT #

USE PERMIT NO.

Approver

PROJECT MANAGER

PM

PROJ. NO. SLA-4322

DATE 5/5/2026

PROJECT STATUS DESIGN DEVELOPMENT


SHEET NO. A2.1

KEY VALUE	DESCRIPTION
201	NEW RAISED F
207	CHECK-IN COU
209	PASS-THRU KI
210	NEW KITCHEN
214	CHECK-IN DES
222	SOUND DESK
223	EXISTING PAT
227	EXISTING EXT

CBC TABLE 1017.2 EXIT ACCESS TRAVEL DISTANCE SHALL NOT EXCEED THE VALUES GIVEN IN TABLE 1017.2 - OCCUPANCY A W/ AUTOMATIC SPRINKLERS - 250 FEET

CODE ANALYSIS

CBC 1016.2 2. IN OTHER THAN GROUP H OCCUPANCIES, EGRESS FROM A ROOM OR SPACE IS ALLOWED TO PASS THROUGH ADJOINING OR INTERVENING ROOMS OR AREAS PROVIDED THAT SUCH ADJOINING ROOMS OR AREAS AND THE AREA SERVED ARE ACCESSORY TO ONE OR THE OTHER AND PROVIDE A DISCERNIBLE PATH OF EGRESS TRAVEL TO AN EXIT.





SCALE	1
1/8" = 1'-0"	

WWW.PLANJOESTUDIOS.COM 7345 PIUTE CREEK DR, CORONA, CA 92881

SHEET NO.

A2.2



DIMENSION FLOOR PLAN

SCALE
1/8" = 1'-0"

1

LEGEND

- INDICATES EXISTING WALLS
- INDICATES NEW CONST. - WALL TYPE PER PLAN
- INDICATES SOUND ATTENUATION
- INDICATES EXTENTS OF NEW ASPHALT

KEYNOTES

- PROJECT TENANT IMPROVEMENT NARRATIVE**
- NO CHANGE OF OCCUPANCY USE OR INCREASE OF OCCUPANTS.
 - THE T/I CONSISTS OF DEMOLITION OF INTERIOR WALL TO ALLOW FOR A BETTER FUNCTION AND FLOR TO THE CLIENT CURRENT NEEDS. THE IMPROVEMENTS ALSO INCLUDE RESTROOM RENOVATIONS, DRINKING FOUNTAIN, ROOM RECONFIGURATION, ALSO MECHANICAL AND ELECTRICAL IMPROVEMENTS TO MEET CURRENT CODE REQUIREMENTS.
 - EXTERIOR TENENT IMPROVEMENTS INCLUDE REMOVAL OF WINDOWS TO REPLACE WITH RETRACTABLE DOOR SYSTEM AND A ENTRY DOOR CANOPY ON THE EAST SIDE ELEVATION FACING SANTA CRUZ STREET, ALSO AN AREA INCREASE ON THE NORTHWEST SIDE.
 - LANDSCAPE IMPROVEMENTS ALONG THE SANTA CRUZ FRONTAGE.
 - FIRE SPRINKLER SYSTEM IMPLEMENTATION.
 - PROPOSED PREMANUFACTURED PERGOLLA WITH AMBIENT LIGHTING 22'-0" SQUARE COLOR TO BE MT-1: METAL/TRIM CHARCOAL PER A6.4

REVISIONS

NO.	DATE	COMMENT


CLIENT NAME: **MENLO CHURCH**
PROJECT NAME: **MENLO WELCOME CENTER BLDG B**
ADDRESS: 950 SANTA CRUZ AVENUE, MENLO PARK, CA
SHEET NAME: **DIMENSION PLAN**

BUILDING PERMIT NO.
PERMIT #
USE PERMIT NO.
Approver
PROJECT MANAGER
PM
PROJ. NO. SLA-4322
DATE 5/5/2026
PROJECT STATUS
DESIGN DEVELOPMENT
SHEET NO.

A2.3

plainjoestudios
ARCHITECTURE

WWW.PLAJIOESTUDIOS.COM 7345 PIUTE CREEK DR. CORONA, CA 92881
These drawings and the accompanying specifications are instruments of service and are the exclusive property of the Architect. They are to be used only for the project and site specified herein. No part of these drawings or specifications may be reproduced or published in any form, in whole or in part, without the prior written permission of the Architect. Title to these plans and specifications shall remain with the Architect without prejudice and visual content shall remain the intellectual property of the Architect.



LEGEND

TYP. ROOF DRAIN - REFER TO PLUMBING DRAWINGS

WALK PADS - ADHESIVE OR MECHANICALLY FASTENED

CLASS A 1 60 MIL THK. SINGLE-PLY ROOF MEMBRANE
ADHESIVE APPLIED OV. RIGID INSULATION OV. STRUCTURE

SPOT ELEVATION HEIGHT

INDICATES NEW ROOF

1/4:12
SLOPE

ROOF SLOPE: 1/4"-12" MIN. U.O.N.

OUTSIDE AIR CONDITIONER UNIT

DOWNSPOUT

ABBREVIATIONS

ABBREVIATIONS:

B.O.

B.O.E.

B.O.S.

B.O.V.

T.O.

T.O.C.F.S.

T.O.E.

T.O.L.W.

T.O.P.

T.O.R.

T.O.S.

N

BOTTOM OF

BOTTOM OF EAVE

BOTTOM OF STEEL

BOTTOM OF VALLEY

TOP OF

TOP OF COMPOSITE FINISH SURFACE

TOP OF EAVE

TOP OF LOW WALL

TOP OF PARAPET

TOP OF RIDGE

TOP OF STEEL

NEW PARAPET

KEYNOTES

KEY VALUE

DESCRIPTION

501

EXISTING SLOPED COMPOSITION SHINGLE ROOF

502

EXISTING BUILT-UP FLAT ROOF

503

NEW BUILT-UP FLAT ROOF

504

EXISTING PATIO BELOW, NOT IN SCOPE OF WORK.

509

NEW MECHANICAL EQUIPMENT, REFER TO MECHANICAL SHEETS FOR MORE INFORMATION

plainjoestudios

ARCHITECTURE

WWW.PLAINJOESTUDIOS.COM

7345 PRUTE CREEK DR.

CORONA, CA 92881

These drawings and the accompanying specifications are the exclusive property of the Architect. No part of these drawings or specifications shall be reproduced or used in any form without the written permission of the Architect. Title to these plans and specifications shall remain with the Architect without prejudice and visual copyright from them shall constitute prima facie evidence of copyright in these documents.

REVISIONS		
NO.	DATE	COMMENT

CLIENT NAME:

PROJECT NAME:

ADDRESS: 950 SANTA CRUZ AVENUE, MENLO PARK, CA

MENLO CHURCH

MENLO WELCOME CENTER BLDG B

ROOF PLAN

SHEET NAME:

BUILDING PERMIT NO.

PERMIT #

USE PERMIT NO.

Approver

PROJECT MANAGER

PM

PROJ. NO.

SLA-4322

DATE


5/18/2026

PROJECT STATUS

DESIGN DEVELOPMENT

SHEET NO.

A5.1



LEGEND

- 0

GRIDLINES FOR ARCHITECTURAL REFERENCE
- A

A1.0

A

A1.0
- BUILDING SECTION AND VIEW DIRECTION
- 1

A1.0
- WALL SECTION AND VIEW DIRECTION
- 1

A101
- CALLOUT HEAD
- ?
- KEYNOTE
-
- SPOT ELEVATION

KEYNOTES

KEY VALUE DESCRIPTION

KEY PLAN

EXISTING ELEVATION

SCALE
1/8" = 1'-0"

1

plainjoestudios
ARCHITECTURE

WWW.PLAINJOESTUDIOS.COM 7345 PIUTE CREEK DR. CORONA, CA 92881
These drawings and/or the accompanying specifications are instruments of service and are the exclusive property of the Architect. They are to be used only for the project and site described herein and no part of them may be reproduced or published in any form, in whole or in part, without the prior written permission of the Architect. Title to these plans and/or specifications shall remain with the Architect without prejudice and visual contact with them shall constitute prima facie evidence of discovery of these violations.

REVISIONS

NO.	DATE	COMMENT

CLIENT NAME: MENLO CHURCH

PROJECT NAME: MENLO PARK SITE

ADDRESS: 950 SANTA CRUZ AVENUE, MENLO PARK, CA

SHEET NAME: EXISTING WELCOME CENTER

BUILDING B ELEVATION

BUILDING PERMIT NO.

PERMIT #

USE PERMIT NO.

Approver

PROJECT MANAGER

PM

PROJ. NO. PROJECT NO.


DATE 5/18/2026

PROJECT STATUS

SCHEMATIC DESIGN

SHEET NO.


A6.0



WELCOME CENTER BLDG B FRONT ELEVATION

SCALE
1/8" = 1'-0"


4



WELCOME CENTER BLDG B PORCH SECTION

SCALE
1/8" = 1'-0"


3



PARTIAL WEST ELEVATION

SCALE
1/8" = 1'-0"

2



PARTIAL NORTH ELEVATION

SCALE
1/8" = 1'-0"

1

LEGEND

ABBREVIATIONS:

B.O.	BOTTOM OF
B.O.E.	BOTTOM OF EAVE
B.O.S.	BOTTOM OF STEEL
B.O.V.	BOTTOM OF VALLEY
T.O.	TOP OF
T.O.C.F.S.	TOP OF COMPOSITE FINISH SURFACE
T.O.E.	TOP OF EAVE
T.O.L.W.	TOP OF LOW WALL
T.O.P.	TOP OF PARAPET
T.O.R.	TOP OF RIDGE
T.O.S.	TOP OF STEEL
N	NEW PARAPET

GENERAL NOTES

- REFER TO BUILDING SECTIONS, WALLS SECTIONS, DOOR & WINDOW SCHEDULES, ROOF PLAN ETC. FOR ADDITIONAL DETAIL INFORMATION
- FOR DOOR, WINDOW TYPES AND MISCELLANEOUS DETAIL REFERENCES, SEE SHEET A9.1 - A9.X
- POST ADDRESS IN A MANNER CLEARLY VISIBLE FROM THE DOMINANT STREET FRONTING THE PROJECT. NUMERALS SHALL BE A MINIMUM OF 4" TALL AND 1/2" STROKE, INSTALLED ON A CONTRASTING BACKGROUND
- PROVIDE A WEEP SCREED FOR STUCCO AT THE FOUNDATION PLATE LINE A MINIMUM OF 4 INCHES ABOVE THE EARTH OR 2 INCHES ABOVE PAVED AREAS. WEEP SCREDS SHALL BE OF A TYPE WHICH WILL ALLOW TRAPPED WATER TO DRAIN TO THE EXTERIOR OF THE BUILDING. SECTION 2512.1.2 OF 2012 IBC
- FOR THE PURPOSE OF STORM WATER TREATMENT, ALL DOWNSPOUTS SHALL BE CONNECTED TO THE ON-SITE STORM DRAIN SYSTEM SEE CIVIL PLANS FOR DETAILS.

KEYNOTES

KEY VALUE DESCRIPTION

REVISIONS

NO.	DATE	COMMENT

CLIENT NAME:	MENLO CHURCH
PROJECT NAME:	MENLO WELCOME CENTER BLDG B
ADDRESS:	950 SANTA CRUZ AVENUE, MENLO PARK, CA
SHEET NAME:	PROPOSED ELEVATION AND SECTIONS

BUILDING PERMIT NO.

PERMIT #

USE PERMIT NO.

Approver

PROJECT MANAGER

PM

PROJ. NO. SLA-4322

DATE 5/5/2026

PROJECT STATUS

DESIGN DEVELOPMENT

SHEET NO.

A6.1



CAFE EXTERIOR

NTS

4



CONCEPT FRONT PERSEPECTIVE

NTS

3




FRONT ELEVATION

1/4" = 1'-0"

2



MT-1: METAL/TRIM
CHARCOAL



PT-1: PAINT
SW7632 MODERN GRAY



FA-1: FABRIC AWNING
SUNBRELLA/ TBD



PT-1: PAINT
SW7642 PAVESTONE



WHITE MULLIONS

EXTERIOR FINISHES

1

CLIENT NAME: MENLO CHURCH

PROJECT NAME: MENLO WELCOME CENTER BLDG B

ADDRESS: 950 SANTA CRUZ AVENUE, MENLO PARK, CA

SHEET NAME: ENLARGED EXTERIOR ELEVATIONS

BUILDING PERMIT NO.

PERMIT #

USE PERMIT NO.

Approver

PROJECT MANAGER

PM

PROJ. NO. SLA-4322

DATE 5/5/2026

PROJECT STATUS

DESIGN DEVELOPMENT

SHEET NO.

A6.4

REVISIONS

NO.	DATE	COMMENT

Menlo Church - Menlo Park Campus

950 Santa Cruz Avenue, Menlo Park, CA 94025
100% DESIGN DEVELOPMENT

March 6, 2026

Owner

Menlo Church
1111 University Dr
Menlo Park, CA 94025
Contact: Mark Kim
Executive Pastor of Operations
Ph: (650) 242-5958

Civil Engineer

LEA & BRAZE ENGINEERING, INC.
2495 Industrial Parkway West
Hayward, CA 94545
Contact: Darren Bunting
Survey CAD Manager
Ph: (510) 887-4086


Landscape Architect

Storyland Studios
590 Crane Street
Lake Elsinore, CA
Contact: Rob Moffat
Principal
Ph: (949) 400-0913


Architect

Storyland Studios
590 Crane Street
Lake Elsinore, CA
Contact: Matt Molsberry
Principal
Ph: (714) 470-6193

VICINITY MAP



SITE MAP



INDEX OF DRAWINGS

SEQ	SHEET	SHEET TITLE
1	L100	TITLE SHEET
2	L101	OVERALL SITE PLAN
3	XL200	DEMOLITION PLAN
4	L210	GRADING DESIGN INTENT PLAN
5	L300	CONSTRUCTION SCHEDULE
6	L301	CONSTRUCTION PLAN
7	L400	SCHEMATIC ILLUSTRATIVE SITE PLAN
8	L600	CONSTRUCTION DETAILS - PAVING
9	L630	CONSTRUCTION DETAILS - MISCELLANEOUS
10	L701	IRRIGATION DESIGN INTENT PLAN
11	L800	PLANTING LEGEND
12	L801	TREE PLANTING PLAN
13	L901	SHRUB PLANTING PLAN
14	L950	PLANTING DETAILS

GENERAL NOTES


- BASE INFORMATION INCLUDING THE LOCATION OF PROPERTY LINES, EASEMENTS, BUILDINGS, ROADS, AND CURBS HAVE BEEN TAKEN FROM THE CIVIL ENGINEER'S DRAWINGS. REFER TO CIVIL ENGINEERING DRAWINGS FOR ADDITIONAL INFORMATION.
- REFER TO THE CIVIL ENGINEER'S DRAWINGS AND DRY UTILITY DRAWINGS, IF APPLICABLE, INCLUDING STORM DRAIN, SEWER, WATER, ELECTRICAL, GAS, TELEPHONE, AND CABLE TV.
- VERIFY SITE INFORMATION, INCLUDING PROPERTY LINES, TOP AND BOTTOMS OF SLOPES, ROADWAY CURB, AND GUTTERS, UTILITIES, AND OTHER INFORMATION AFFECTING THE SCOPE OF WORK INCLUDED ON THESE DRAWINGS. IF ACTUAL SITE CONDITIONS VARY FROM WHAT IS SHOWN ON THE LANDSCAPE ARCHITECT'S PLANS, THE CONTRACTOR SHALL CONTACT THE OWNER'S FOR DIRECTION ON HOW TO PROCEED.
- SITE VISITATION: CONTRACTOR SHALL VISIT THE SITE, EXAMINE EXISTING CONDITIONS FOR THE NEW CONSTRUCTION AND DETERMINE TO ITS SATISFACTION, THE METHODS AND PROCEDURES, REMOVAL AND STORAGE OF MATERIALS, SEQUENCING OF OPERATIONS AND CONDITIONS WHICH AFFECT ITS WORK AND PROBLEMS ATTENDANT HERETO. CONTRACTOR SHALL NOTIFY THE OWNER OF ANY DISCREPANCIES PRIOR TO BIDDING. NO ALLOWANCE WILL BE MADE SUBSEQUENTLY TO THE CONTRACTOR FOR ERRORS THROUGH NEGLIGENCE IN EXAMINING SITE CONDITIONS.
- BEFORE INSTALLING ALL UNDERGROUND FEATURES (i.e. FENCE FOOTINGS, WALL FOOTINGS, AND SERVICE LINES) VERIFY ALL LOCATIONS OF EXISTING UTILITIES AND COORDINATE WITH CIVIL AND ELECTRICAL DRAWINGS.
- ALL WALLS, PAVING, AND FENCES SHALL BE INSTALLED IN CONFORMANCE WITH STRUCTURAL ENGINEER'S APPROVED PLANS.
- CONSTRUCTION SHALL COMPLY WITH THE DRAWINGS OR APPLICABLE BUILDING CODES AND ORDINANCES WHERE THE REQUIREMENTS ARE MORE SPECIFIC OR STRINGENT.
- COORDINATE WALL, PAVING, MASONRY, WORK WITH ALL DISCIPLINES FOR SLEEVEING, CONDUCTS, ANCHOR BOLTS, ETC.
- ELECTRICAL JUNCTION BOXES FOR LIGHTS AND IRRIGATION VALVE BOXES SHALL BE IN PLANTING AREAS OR AS APPROVED BY OWNER AND LANDSCAPE ARCHITECT. STAKE LOCATIONS BEFORE INSTALLATION FOR OWNER'S AND LANDSCAPE ARCHITECT'S APPROVAL PRIOR TO INSTALLATION.
- REFERENCES TO NORTH REFER TO TRUE NORTH. REFERENCES TO SCALE IS FOR FULL-SIZED DRAWINGS ONLY. DO NOT SCALE FROM REDUCED DRAWINGS.
- REFER TO GEO-TECHNICAL SOILS REPORT LATEST EDITION FOR PAVING AND CONCRETE PAVER REINFORCEMENT, SUBBASE, AND SUBGRADE TREATMENT.
- CONTRACTOR SHALL SURVEY PUBLIC RIGHT OF WAY AND PRIVATE LIMIT OF WORK PER THE CIVIL ENGINEER PLANS PRIOR TO BEGINNING CONSTRUCTION. CONTRACTOR SHALL STAKE LIMIT AND LAYOUT OF LANDSCAPE PAVING LIMITS AND OBTAIN APPROVAL FROM OWNER AND LANDSCAPE ARCHITECT PRIOR TO BEGINNING WORK.
- IT IS THE CONTRACTOR'S RESPONSIBILITY TO PROTECT NEW WORK FROM VANDALISM UNTIL THE IMPROVEMENTS HAVE BEEN ACCEPTED BY THE OWNER AND A NOTICE OF SUBSTANTIAL COMPLETION HAS BEEN FILLED.
- EXCAVATION IN THE VICINITY OF UTILITIES AND EXISTING MATERIALS SHALL BE UNDERTAKEN WITH CARE. THE CONTRACTOR BEARS FULL RESPONSIBILITY FOR HIS WORK. ANY DAMAGE CAUSED BY ANY PERSON, VEHICLE, EQUIPMENT, OR TOOL RELATED TO THE EXECUTION OF THE CONTRACT SHALL BE REPAIRED IMMEDIATELY AT NO EXPENSE TO THE OWNER.
- PRIOR TO INSTALLATION OF ANY CONSTRUCTION ITEM, FORMS WITH STEEL IN PLACE AND COMPACTED SUBGRADE COMPLETE, SHALL BE OBSERVED AND REVIEWED BY THE OWNER'S AUTHORIZED REPRESENTATIVE.
- WRITTEN DIMENSIONS TAKE PRECEDENCE OVER SCALE.
- WHERE DIMENSIONS ARE CALLED AS "EQUAL", ALL REFERENCED ITEMS SHALL BE SPACED EQUALLY, MEASURED TO THEIR CENTERLINES.
- CONTRACTOR SHALL CONTACT LANDSCAPE ARCHITECT PRIOR TO CONSTRUCTION.
- CONTRACTOR SHALL ENSURE CONFORMANCE WITH CITY OF MENLO PARK, CALIFORNIA STANDARDS PRIOR TO FINAL PROJECT ACCEPTANCE BY THE CITY.
- CONTRACTOR IS RESPONSIBLE FOR VERIFYING ALL SCHEDULE QUANTITIES AND TAKEOFFS LISTED IN CONSTRUCTION, IRRIGATION AND PLANTING SCHEDULES AND PLANS.

NOTE: DRAWING PREPARED FROM CIVIL
ENGINEER'S BASE FILE DATED 10/14/2025

REVISIONS		
NO.	DATE	COMMENT


CLIENT NAME:	MENLO CHURCH
PROJECT NAME:	MENLO CAMPUS
ADDRESS:	590 SANTA CRUZ AVE, MENLO PARK, CA 94025
SHEET NAME:	TITLE SHEET
BUILDING PERMIT NO.	
PERMIT #	
USE PERMIT NO.	
Approver	
PROJECT MANAGER	
P. MANAGER	
PROJ. NO.	SLA4322
DATE	03/06/2026
PROJECT STATUS	
DESIGN DEVELOPMENT	
SHEET NO.	
L100	






DEMOLITION NOTES:

1. ANY DAMAGE TO EXISTING HARDScape OR PLANT MATERIAL ELEMENTS THAT ARE TO BE PROTECTED IN PLACE SHALL BE REPAIRED AND/OR REPLACED IN KIND BY THE CONTRACTOR AT NO ADDITIONAL COST.
2. VERIFY LOCATIONS OF ALL UNDERGROUND UTILITIES PRIOR TO ANY EXCAVATION. NOTIFY OWNER IMMEDIATELY AND REPAIR ANY ITEMS DAMAGED BY EXCAVATION. REPAIRS TO BE MADE AT NO ADDITIONAL COST TO THE OWNER.
3. CONTRACTOR SHALL NOTIFY OWNER'S AUTHORIZED REPRESENTATIVE IMMEDIATELY IF FIELD CONDITIONS VARY FROM WHAT IS SHOWN ON THE PLANS.
4. LOCATIONS OF EXISTING SITE ELEMENTS ARE APPROXIMATE PER SURVEY. NOTIFY OWNER'S REPRESENTATIVE IMMEDIATELY IF LOCATIONS OF SITE ELEMENTS INTERFERE WITH PROPER EXECUTION OF WORK.
5. CONTRACTOR TO CONTACT OWNER'S REPRESENTATIVE UPON ENCOUNTERING ANY PLANT MATERIAL ROOT GREATER THAN 1-1/2" DIAMETER THAT NEEDS TO BE CUT.
6. CONTRACTOR TO COORDINATE WITH OWNER REPRESENTATIVE FOR PLANTING & IRRIGATION AFFECTED BY DEMOLITION AND REGRADING. CONTRACTOR SHALL BE RESPONSIBLE FOR CUTTING AND CAPPING ALL IRRIGATION LINES (MAIN LINES & LATERAL LINES). CONTRACTOR SHALL CONTACT OWNER AT LEAST 48 HOURS PRIOR TO COMMENCEMENT OF WORK. CONTRACTOR SHALL BE RESPONSIBLE FOR DISPOSAL OF ALL DEMOLISHED IRRIGATION LINES IN ACCORDANCE WITH LOCAL CODES AT NO ADDITIONAL COST TO THE OWNER.
7. CONTRACTOR SHALL VISIT THE SITE PRIOR TO SUBMITTING BIDS TO NOTE SITE AND ACCESS CONDITIONS TO BE TAKEN INTO ACCOUNT WHEN PREPARING BIDS.
8. CLEAR SITE TO LIMIT OF WORK, VERIFY WITH THE OWNER'S REPRESENTATIVE ITEMS THAT ARE TO BE REMOVED FOR CONSTRUCTION IMPROVEMENTS.
9. ALL DELETERIOUS MATERIAL WITHIN THE LIMIT OF WORK SHALL BE DISPOSED OF OFF SITE BY THE CONTRACTOR IN A MANNER CONSISTENT WITH ALL LOCAL CODES. CONTRACTOR SHALL BE RESPONSIBLE FOR MAKING ALL NECESSARY ARRANGEMENTS AND PAY FOR ALL RELATED COST.
10. REQUIRED UTILITIES SHALL BE MAINTAINED IN OPERATIONAL CONDITIONS DURING THE ENTIRE PERIOD OF WORK. ACTIVE UTILITIES SHALL BE PROTECTED IN PLACE BY AND AT THE EXPENSE OF THE CONTRACTOR.
11. ABANDONED UNDERGROUND UTILITIES, ROCKS AND MASONRY LAGER THAN 4" SHALL BE REMOVED TO A MINIMUM DEPTH OF 12" BELOW PROPOSED FINISHED SURFACE.
12. ROOTS FROM DEMOLISHED PLANT MATERIAL (2" OR LARGER) MUST BE REMOVED FROM LANDSCAPE AREAS TO A DEPTH OF 18" IN ORDER TO SUSTAIN NEW PLANTING MATERIAL. ALL TREES REMOVED SHALL HAVE STUMPS AND ROOT MASS SCRUBBED UNLESS AND ADJACENT TREE REQUIRES PROTECTION. CONTRACTOR SHALL CONTACT OWNER'S REPRESENTATIVE FOR A PRE-CONSTRUCTION SITE-WALK TO VERIFY DIRECTION FOR EACH EXISTING TREE WITHIN, OR WHICH HAS A DRIPLINE THAT EXTENDS INTO THE LIMIT OF WORK AREA.
13. ALL PRECISE GRADING POINTS BETWEEN DEMOLITION / REMOVAL AND EXISTING / TO REMAIN CONDITIONS, SHALL BE VERIFIED WITH OWNER'S AUTHORIZED REPRESENTATIVE IN THE FIELD PRIOR TO WORK. CONTRACTOR TO ARRANGE A SITE MEETING WITH THE OWNER'S REPRESENTATIVE.
14. CONTRACTOR TO VERIFY ALL EXISTING TREES AND PLANTING TO REMAIN PRIOR TO DEMOLITION WORK. VERIFY WITH OWNER'S AUTHORIZED REPRESENTATIVE.
15. TO PROTECT-IN-PLACE ALL EXISTING TREES AND PLANTING TO REMAIN PRIOR TO DEMOLITION WORK. VERIFY WITH OWNER'S AUTHORIZED REPRESENTATIVE.
16. CONTRACTOR TO VERIFY ALL EXISTING TREES AND PLANTING TO REMAIN PRIOR TO DEMOLITION WORK. VERIFY WITH OWNER'S AUTHORIZED REPRESENTATIVE.
17. TO PROTECT-IN-PLACE EXISTING PLANTING, PROVIDE CONSTRUCTION BARRIERS AT 125% OF DRIPLINE OF EXISTING TREES AND/OR EDGE OF LANDSCAPE AREAS TO BE PROTECTED.
18. DO NOT USE PLANTERS FOR LAYDOWN OR STORAGE OF EQUIPMENT OR MATERIALS. EXISTING PLANTING DAMAGED DURING CONSTRUCTION SHALL BE REPLACED AT THE CONTRACTOR'S EXPENSE.
19. CONTRACTOR TO FENCE SITE AND INSTALL FENCING SCRIM AS REQUIRED. CONTRACTOR SHALL MAINTAIN FOLIAGE OF EXISTING PLANTS FREE OF DUST AND DEBRIS FROM ALL CONSTRUCTION OPERATIONS.
20. CONTRACTOR SHALL COORDINATE CONCRETE PAVING AND CURB DEMOLITION TO ENSURE LANDSCAPE AND TREE PROTECTION.

[illegible]



REVISIONS		
NO.	DATE	COMMENT

MENLO CHURCH

CLIENT NAME:

MENLO CAMPUS

PROJECT NAME:

590 SANTA CRUZ AVE, MENLO PARK, CA 94025

ADDRESS:

GRADING DESIGN

SHEET NAME:

INTENT PLAN

SHEET NAME:

BUILDING PERMIT NO.

PERMIT #

USE PERMIT NO.

Approver

PROJECT MANAGER

P. MANAGER

PROJ. NO.

SLA4322

DATE

03/06/2026

PROJECT STATUS

DESIGN DEVELOPMENT

SHEET NO.

L210

SYMBOL	DESCRIPTION	REFERENCE
1	SANCTUARY BUILDING WALL	PER ARCHITECT'S PLANS
2	WELCOME CENTER BUILDING WALL	PER ARCHITECT'S PLANS
3	EXISTING CURB	PER CIVIL ENGINEER'S PLANS
4	EXISTING UTILITY	PER CIVIL ENGINEER'S PLANS
5	PROPOSED UTILITY	PER CIVIL ENGINEER'S PLANS
6	LIGHT POLE	PER LIGHTING PLANS
7	LIGHT BOLLARD	PER LIGHTING PLANS
8	FIRE HYDRANT	PER CIVIL ENGINEER'S PLANS
9	EXISTING CONCRETE - PROTECT IN PLACE	PER CIVIL ENGINEER'S PLANS
10	EXISTING TREE - PROTECT IN PLACE	PER CIVIL ENGINEER'S PLANS
11	EXISTING WALL - PROTECT IN PLACE	PER CIVIL ENGINEER'S PLANS

1. ALL DIMENSIONS ARE APPROXIMATE. CONTRACTOR TO VERIFY IN FIELD
2. ALL DIMENSIONS ARE FROM OUTSIDE FACE OF PAVING, CURBS, WALLS, ETC, UNLESS OTHERWISE NOTED ON PLANS.
3. CONTRACTOR SHALL SUBMIT SAMPLES AND 10'x10' MOCKUPS OF ALL PAVING UNLESS OTHERWISE INDICATED IN DETAILS OR SPECIFICATIONS - TO SHOW FINISH, COLOR, JOINTING, AND INTERSECTION OF PATTERNS AS REQUESTED BY OWNER AND LANDSCAPE ARCHITECT. ALL SAMPLES SHALL BE APPROVED BY THE OWNER AND LANDSCAPE ARCHITECT PRIOR TO INSTALLATION. ALLOW TWO (2) DAYS NOTICE PRIOR TO REVIEW OF SAMPLES.
4. ALL ANGLES TO BE 90 DEGREES AND ALL LINES OF PAVING AND FENCING TO BE PARALLEL UNLESS OTHERWISE NOTED. MAINTAIN HORIZONTAL ALIGNMENT OF ADJACENT ELEMENTS AS NOTED ON THE DRAWINGS.
5. ALL WALKS AND WALLS HAVE SMOOTH, CONTINUOUS CURVES AS INDICATED ON PLANS, UNLESS NOTED OTHERWISE.
6. ALL WALLS, PAVING, AND FENCES SHALL BE INSTALLED IN CONFORMANCE WITH STRUCTURAL ENGINEER'S APPROVED PLANS.
7. MATCH PAVING WORK WITH CONTRACTORS APPROVED PAVING MOCK-UP. WORK NOT MATCHING APPROVED MOCK-UP MAY BE REJECTED BY OWNER AND LANDSCAPE ARCHITECT.
8. PROVIDE ISOLATION TAPE ON ALL STEEL POSTS EMBEDDED INTO CONCRETE.
9. PROVIDE APPROVED JOINTS AS SHOWN ON DRAWINGS. SUBMIT DRAWING INDICATING JOINT LOCATIONS AND DETAIL FOR APPROVAL BY OWNER AND LANDSCAPE ARCHITECT.
10. PROVIDE BUILDING FABRIC ISOLATION JOINT WITH SEALANT WHERE PAVING ABOVE CURBING, BUILDING AND COLUMNS, AND STRUCTURES. VERIFY COLOR OF SEALANT WITH OWNER AND LANDSCAPE ARCHITECT.
11. ISOLATION JOINTS ON PAVING: PROVIDE AS SHOWN AT MAXIMUM SPACING 20'-0" O.C. EACH WAY AND ALSO CONTINUOUSLY AT ALL VERTICAL ELEMENTS AND CONNECTION TO BUILDINGS.
12. CONCRETE JOINTING AND FINISHING TO MEET ADA REQUIREMENTS FOR SLIP RESISTANCE AND JOINT WIDTH (3/16" MAX.) OR AS NOTED ON PLANS - 0.6 SLIP RESISTANCE CO-EFFICIENT.

1. FOR TREATMENT OF ALL CONCRETE PAVING AND CONCRETE PAVERS REINFORCEMENT, SUBBASE AND SUBGRADE TREATMENT REFER TO THE GEO-TECHNICAL SOILS REPORTS.
2. THE GENERAL CONTRACTOR IS RESPONSIBLE FOR COORDINATING WITH PROJECT OWNERSHIP AND DEVELOPMENT TEAM TO OBTAIN THE LATEST EDITION OF GEO-TECHNICAL SOILS REPORT.
3. THE GENERAL CONTRACTOR IS RESPONSIBLE FOR ENSURING THE CORRECT CONCRETE PAVING AND CONCRETE PAVERS THICKNESS, REINFORCEMENT, CEMENT TYPE, SUBBASE AND SUBGRADE IS USED WITHIN THE VEHICULAR RATED PAVING ZONE.
4. FOR MORE INFORMATION REGARDING PROJECT GEOTECHNICAL REPORTS, REFER TO PROJECT SPECIFICATIONS

DETAIL		DESCRIPTION	MANUFACTURER	MODEL	COLOR	COMMENTS
SYMBOL	REFERENCE					
PT-100	-	36" DIA. X 42" H. PLANTER POT	GCP OR APPROVED EQUAL	CASCADE ROUND QR-CE3642P	LATTE CRAFTSMAN'S ETCH	-

B.L.D.G.	BUILDING	MAX.	MAXIMUM
CL	CENTER LINE	MIN.	MINIMUM
CLEAR	CLEAR	N.T.S.	NOT TO SCALE
C.I.P.	CAST-IN-PLACE	N.A.P.	NOT A PART
D.G.	DECOMPOSED GRANITE	O.C.	ON CENTER
DIA.	DIAMETER	O.C.E.W.	ON CENTER, EACH WAY
EJ	EXPANSION JOINT	O.D.	OUTSIDE DIAMETER
EQ.	EQUAL	PA	PLANTING AREA
EXIST	EXISTING	P.O.B.	POINT OF BEGINNING
GAL.	GALLON	P.O.C.	POINT-OF-CONNECTION
HT.	HEIGHT	QTY.	QUANTITY
ICV	IRRIGATION CONTROL VALVE	S.F.	SQUARE FEET
L.F.	LINEAR FEET	TYP.	TYPICAL
LT	LIGHT	U.O.N.	UNLESS OTHERWISE NOTED
L.O.W.	LIMIT OF WORK		

 P.O.B.
 ALIGN
 FLUSH
 C

LIMIT OF WORK MATCHLINE


[illegible]

CONSTRUCTION SCHEDULE

SHEET NAME:

SHEET NO.

L300



PAVING SCHEDULE			
SYMBOL	DETAIL REFERENCE	DESCRIPTION	TOTAL QUANTITY
P-100	-	CONCRETE PAVING	382 SF
P-101	-	ENHANCED CONCRETE PAVING	3,325 SF
P-200	-	CONCRETE PAVERS	2,046 SF
P-300	-	PLAY SURFACING	1,145 SF

WALL SCHEDULE			
SYMBOL	DETAIL REFERENCE	DESCRIPTION	TOTAL QUANTITY
W-100	-	CONCRETE SEAT WALL - STRAIGHT	5
W-101	-	CONCRETE SEAT WALL - CURVED	5

METALWORK SCHEDULE			
SYMBOL	DETAIL REFERENCE	DESCRIPTION	TOTAL QUANTITY
G-100	-	STAINLESS STEEL GATE	1

BOULDER SCHEDULE			
SYMBOL	DETAIL REFERENCE	DESCRIPTION	TOTAL QUANTITY
B-100	-	SMALL BOULDER	4
B-101	-	MEDIUM BOULDER	5
B-102	-	LARGE BOULDER	4

MISCELLANEOUS SCHEDULE			
SYMBOL	DETAIL REFERENCE	DESCRIPTION	TOTAL QUANTITY
M-100	-	PERGOLA	1
M-200	-	BOLLARD	8
M-300	-	AIRSTREAM FOOD TRUCK	1
M-400	-	PLAY STRUCTURE 1	1
M-401	-	PLAY STRUCTURE 2	1


SITE FURNITURE SCHEDULE			
SYMBOL	DETAIL REFERENCE	DESCRIPTION	TOTAL QUANTITY
SF-100	-	DINING TABLE	4
SF-101	-	DINING CHAIR	16
SF-102	-	BISTRO TABLE	13
SF-103	-	BISTRO CHAIR	39
SF-104	-	ADIRONDACK	4
SF-105	-	TEA TABLE	2

POTTERY SCHEDULE			
SYMBOL	DETAIL REFERENCE	DESCRIPTION	TOTAL QUANTITY
PT-100	-	36" DIA. X 42" H. PLANTER POT	11

COORDINATION AND REFERENCE NOTES		
SYMBOL	DESCRIPTION	REFERENCE
1	SANCTUARY BUILDING WALL	PER ARCHITECT'S PLANS
2	WELCOME CENTER BUILDING WALL	PER ARCHITECT'S PLANS
3	EXISTING CURB	PER CIVIL ENGINEER'S PLANS
4	EXISTING UTILITY	PER CIVIL ENGINEER'S PLANS
5	PROPOSED UTILITY	PER CIVIL ENGINEER'S PLANS
6	LIGHT POLE	PER LIGHTING PLANS
7	LIGHT BOLLARD	PER LIGHTING PLANS
8	FIRE HYDRANT	PER CIVIL ENGINEER'S PLANS
9	EXISTING CONCRETE - PROTECT IN PLACE	PER CIVIL ENGINEER'S PLANS
10	EXISTING TREE - PROTECT IN PLACE	PER CIVIL ENGINEER'S PLANS
11	EXISTING WALL - PROTECT IN PLACE	PER CIVIL ENGINEER'S PLANS

* NOTE: CAD FILES FOR LAYOUT OR BASELINE DIMENSIONS AVAILABLE UPON REQUEST

REVISIONS		
NO.	DATE	COMMENT



Hardscape Legend



1 Standard Concrete Paving
Existing To Remain Or Repair



2 Enhanced Concrete Paving
3,750 Square Feet



3 Concrete Pavers
2,400 Square Feet



4 Play Surfacing
1,150 Square Feet



5 Nature Themed Children's Play Equipment



10 Airstream Food Truck



6 Concrete Seatwall



7 Bistro Seating



8 Pergola



9 Landscape Boulders

Existing Trees	Qty.	Description			
	10	Assumed location of existing trees to remain			
	-5	Existing trees to be removed			
Specimen Trees	Qty.	Botanical Name	Common Name	Water Use	Size
	3	Platanus x hispanica 'Bloodgood'	Bloodgood London Plane Tree	Moderate	24"-60" box
		Quercus agrifolia	Coast Live Oak	Very Low	24"-60" box
Specimen Trees	Qty.	Botanical Name	Common Name	Water Use	Size
	6	Magnolia grandiflora	Southern Magnolia	Moderate	24"-60" box
		Pistacia chinensis	Chinese Pistache	Low	24"-60" box
Accent Trees	Qty.	Botanical Name	Common Name	Water Use	Size
	10	Arbutus 'Marina'	Marina Strawberry Tree	Low	24"-48" box
		Cercidium 'Desert Museum'	Desert Museum Palo Verde	Very Low	24"-48" box
		Cercis canadensis 'Forest Pansy'	Forest Pansy Redbud	Low	24"-48" box
		Chilopsis linearis	Desert Willow	Low	24"-48" box
		x Chitalpa tashkentensis 'Pink Dawn'	Pink Dawn Chitalpa	Low	24"-48" box
		Lagerstroemia indica x fauriei 'Natchez'	Bloodgood London Plane Tree	Low	24"-48" box
Shrubs & Groundcovers	Qty.	Botanical Name	Common Name	Water Use	Size
	4,050 SF	Carissa macrocarpa 'Green Carpet'	Green Carpet Natal Plum	Moderate	1 - 5 gallon
		Cistus x purpureus	Orchid Rock Rose	Low	1 - 5 gallon
		Cistus salviifolius 'Prostratus'	Sageleaf Rockrose	Low	1 - 5 gallon
		Grevillea 'Noellii'	Noell's Grevillea	Low	1 - 5 gallon
		Hesperaloe parviflora 'Brakelights'	Brakelights Yucca	Low	1 - 5 gallon
		Lantana montevidensis	Trailing Lantana	Low	1 - 5 gallon
		Leucophyllum frutescens 'Green Cloud'	Green Cloud Texas Sage	Low	1 - 5 gallon
		Rhaphiolepis indica 'Clara'	Clara Indian Hawthorn	Moderate	5 - 15 gallon
		Salvia clevelandii 'Winnifred Gilman'	Winnifred Gilman Cleveland Sage	Low	1 - 5 gallon
		Trachelospermum jasminoides	Star Jasmine	Moderate	1 - 5 gallon



Magnolia grandiflora



Pistacia chinensis



Platanus x hispanica 'Bloodgood'



Quercus agrifolia



Arbutus 'Marina'



Cercidium 'Desert Museum'



Cercis canadensis 'Forest Pansy'



Chilopsis linearis



x Chitalpa tashkentensis 'Pink Dawn'



Lagerstroemia indica x fauriei 'Natchez'



Carissa macrocarpa 'Green Carpet'



Cistus x purpureus




Cistus salviifolius 'Prostratus'



Grevillea 'Noellii'



Hesperaloe parviflora 'Brakelights'




Lantana montevidensis



Leucophyllum frutescens 'Green Cloud'




Rhaphiolepis indica 'Clara'



Salvia clevelandii 'Winnifred Gilman'



Trachelospermum jasminoides



REVISIONS		
NO.	DATE	COMMENT

MENLO CHURCH

CLIENT NAME:

MENLO CAMPUS

PROJECT NAME:

590 SANTA CRUZ AVE, MENLO PARK, CA 94025

ADDRESS:

SCHEMATIC ILLUSTRATIVE

SHEET NAME:

SITE PLAN

SHEET NAME:

BUILDING PERMIT NO.

PERMIT #

USE PERMIT NO.

Approver

PROJECT MANAGER

P. MANAGER

PROJ. NO.

SLA4322

DATE

03/06/2026

PROJECT STATUS



DESIGN DEVELOPMENT

SHEET NO.

L401


1. REFER TO CONSTRUCTION SCHEDULE SHEET L300A FOR TYPE OF NATURAL BOULDER.
2. ANY BOULDERS DAMAGED, SCARRED OR MISHANDLED DURING TRANSPORTATION OR UNLOADING ARE SUBJECT TO REJECTION AND REPLACEMENT.
3. BOULDERS SHOULD BE DELIVERED ON PALLETS TO MINIMIZE DAMAGE.

- ① NATURAL BOULDER, BURY BELOW GRADE. PLACE ON COMPACTED SUBGRADE
- ② ADJACENT PAVING/TURF AREA. SEE PLAN FOR CONDITIONS
- ③ PLANTING AREA
- ④ EDGE OF PAVING/TURF AREA. SEE PLAN FOR LOCATIONS
- ⑤ CONCRETE PAVER, SEE DETAIL 8/L600
- ⑥ COMPACTED SUBGRADE
- ⑦ FINISH GRADE OF PLANTING AREA
- ⑧ CONCRETE PAVING, SEE DETAIL 1/L600



Scale: 1" = 1'-0"

L630



IRRIGATION LEGEND

SYMBOL	DESCRIPTION
	PRESSURE MAIN LINE PIPING - SCHEDULE 40 PVC
	MAIN LINE PIPE SLEEVE UNDER PAVED AREA
	IRRIGATION POINT-OF-CONNECTION - 1-1/2 INCH SIZE RECYCLED WATER METER AND REDUCED PRESSURE BACKFLOW PREVENTER FOR IRRIGATION SERVICE PROVIDED BY CIVIL ENGINEER *FINAL LOCATION TO BE DETERMINED IN THE FIELD BY THE CONTRACTOR
	IRRIGATION 'SMART' CONTROLLER WITHIN A STAINLESS STEEL SECURITY PEDESTAL ENCLOSURE - PER DESIGN BUILD IRRIGATION
	SPRAY IRRIGATION - SHRUB PLANTING AREAS 9,883 SF TOTAL
	BUBBLER IRRIGATION - 2 PER TREE 74 BUBBLERS TOTAL
	QUICK COUPLING VALVE - 1-INCH SIZE - POTABLE WATER USE - LOCKING RUBBER COVER MOUNTED IN ROUND BOX - PROVIDE KEY AND SWIVEL - LOCATION PER LANDSCAPE ARCHITECT'S RECOMMENDED, TO BE INSTALLED BY DESIGN BUILD IRRIGATION 10 TOTAL
	IRRIGATION SLEEVE - UNDER PAVED AREAS - SCHEDULE 40 PVC - 4-INCH MINIMUM SIZE - SLEEVES ARE DIAGRAMMATICALLY SHOWN, FINAL QUANTITY AND SIZING OF SLEEVES TO BE DETERMINED IN THE FIELD 400 LF MINIMUM

IRRIGATION PIPE AND SLEEVE SIZING CHART

PIPE SIZE	3/4"	1"	1-1/4"	1-1/2"	2"	2-1/2"	3"
SLEEVE SIZE	4"	4"	4"	4"	4"	6"	6"

- IRRIGATION SYSTEM DESIGN NOTES**
- THE IRRIGATION SYSTEM IS SERVED BY POTABLE WATER OPERATING AT AVAILABLE STATIC PRESSURE.
 - THE IRRIGATION SYSTEM TO BE DESIGNED TO NOT ALLOW OVER-SPRAY OR EXCESS RUNOFF ONTO IMPERVIOUS SURFACES.
 - THE IRRIGATION CONTROLLER SHALL BE A SMART CONTROLLER WHICH OPERATES WITH DAILY WEATHER ADJUSTMENTS.
 - THE IRRIGATION SYSTEM INCLUDES AN IRRIGATION 'SMART' CONTROLLER THAT OPERATES A DEDICATED MASTER VALVE AND FLOW SENSOR.
 - PLANTING WILL BE INSTALLED AND IRRIGATED TO ACCOMMODATE LANDSCAPE HYDROZONES.
 - TREES AND PALMS ARE IRRIGATED WITH LOW-FLOW BUBBLERS ON A DEDICATED CONTROL VALVES.
 - ISOLATION VALVES ARE LOCATED THROUGHOUT THE SYSTEM TO PROVIDE FOR PARTIAL SHUTDOWN OF THE SYSTEM.
 - QUICK COUPLING VALVES ARE LOCATED THROUGHOUT TO PROVIDE INCIDENTAL WATERING OF TREES AND SHRUBS.
 - AUTOMATIC LANDSCAPE IRRIGATION EQUIPMENT SHALL BE INSTALLED IN SUCH A WAY THAT IT DOES NOT SPRAY ON THE BUILDINGS.
 - PIPING AS SHOWN ON DRAWINGS IS SCHEMATIC AND INDICATES THE INTENT OF IRRIGATION DELIVERY METHODS.
 - ANY IRRIGATION EQUIPMENT INDICATED OUTSIDE OF PLANTING AREA IS SHOWN FOR DRAWING CLARITY AND DESIGN INTENT ONLY.

IRRIGATION SYSTEM 'A' POINT-OF-CONNECTION NOTE

IRRIGATION POINT-OF-CONNECTION - CONNECT TO NEW 2-INCH RECYCLED WATER METER AND SERVICE LINE FOR IRRIGATION SUPPLY. WATER SERVICE CONNECTION PER CITY OF MENLO PARK WATER DEPARTMENT. REFER TO CIVIL ENGINEERING DRAWINGS FOR ACTUAL WATER METER LOCATION AND ADDITIONAL WATER SUPPLY INFORMATION.

EXISTING WATER PRESSURE (STATIC): - P.S.I.
IRRIGATED AREA OF COVERAGE: - S.F.

REVISIONS		
NO.	DATE	COMMENT

MENLO CHURCH

CLIENT NAME:

MENLO CAMPUS

PROJECT NAME:

590 SANTA CRUZ AVE, MENLO PARK, CA 94025

ADDRESS:

IRRIGATION DESIGN INTENT PLAN

SHEET NAME:

BUILDING PERMIT NO.

PERMIT #

USE PERMIT NO.

Approver

PROJECT MANAGER

P. MANAGER

PROJ. NO.

SLA4322

DATE


03/06/2026

PROJECT STATUS

DESIGN DEVELOPMENT

SHEET NO.


L701



1. SETBACK:
ALL CLEARANCE DATA PER SAN MATEO COUNTY PLANTING STANDARDS AND GUIDELINES.
2. ROOT BARRIER:
ROOT BARRIER FABRIC BY DEEP ROOT OR APPROVED EQUIV. REFER TO PLANTING SPECIFICATIONS. SEE DETAIL 2 SHEET L-1000.
3. SOIL PREPARATION:
 - REFER TO AGRONOMIC SOILS REPORT AND PLANTING SPECIFICATIONS FOR SOIL PREPARATION NOTES.
 - CONTRACTOR TO SUBMIT SOIL SAMPLE TO WALLACE LABORATORIES FOR AGRONOMIC SOILS TESTING. CONTRACTOR TO SUBMIT REPORT TO LANDSCAPE ARCHITECT. CONTRACTOR TO FOLLOW REPORT RECOMMENDATIONS FOR PLANTING SPECIFICATIONS AND FOR SOIL PREPARATION NOTES.
 - CONTRACTOR TO SUBMIT SANDY LOAM SOIL AND AGRONOMIC SOILS ANALYSIS OF SOIL FOR REVIEW AND APPROVED BY LANDSCAPE ARCHITECT PRIOR TO PLACING SOIL.
4. INSTALLATION:
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR MAKING HIMSELF FAMILIAR WITH ALL UNDERGROUND UTILITIES AND STRUCTURES. THE CONTRACTOR SHALL TAKE SOLE RESPONSIBILITY FOR ANY COST INCURRED DUE TO DAMAGE OF SAID UTILITIES OR STRUCTURES.
 - DO NOT WILLFULLY PROCEED WITH PLANTING OPERATIONS AS DESIGNED WHEN IT IS OBVIOUS THAT UNKNOWN OBSTRUCTIONS AND/OR GRADE DIFFERENCES EXIST THAT MAY NOT HAVE BEEN KNOWN DURING THE DESIGN PROCESS. SUCH CONDITIONS SHALL BE IMMEDIATELY BROUGHT TO THE ATTENTION OF THE OWNER. THE CONTRACTOR SHALL ASSUME FULL RESPONSIBILITY FOR ALL NECESSARY REVISIONS DUE TO THE FAILURE TO GIVE SUCH NOTIFICATION PRIOR TO BEGINNING WORK.
 - THE CONTRACTOR SHALL BE RESPONSIBLE FOR ANY COORDINATION WITH SUBCONTRACTORS AS REQUIRED TO ACCOMPLISH PLANTING OPERATIONS.
 - REFER TO THE SPECIFICATIONS FOR PLANTING REQUIREMENTS, MATERIALS AND EXECUTION.
5. TREE STAKING:
CONTRACTOR TO STAKE ALL TREES IN FIELD FOR APPROVAL PRIOR TO INSTALLATION.
6. MULCH:
IN ALL SHRUB AND GROUND COVER AREAS, APPLY 2" DEEP "FOREST FLOOR MULCH" SHREDDED BARK MULCH (SIZE 1/2" TO 1-1/2") FROM AGUINAGA FERTILIZER COMPANY, IRVINE, CA. (951-538-3321 OR APPROVED EQUIV. BASED ON AGRICULTURAL SUITABILITY SOILS ANALYSIS AND CONSISTENT DARK BROWN AESTHETIC APPEARANCE. CONTRACTOR SHALL SUBMIT SAMPLE TO LANDSCAPE ARCHITECT FOR APPROVAL.
7. MAINTENANCE:
 - CONTRACTOR SHALL PROTECT AND MAINTAIN IN PLACE ALL EXISTING PLANT MATERIAL. UNLESS SPECIFICALLY DIRECTED OTHERWISE BY THE OWNER/LANDSCAPE ARCHITECT. ALL PLANT MATERIAL REMOVED OR DAMAGED SHALL BE REPLACED WITH NEW PLANT MATERIAL OF EQUAL SIZE AT THE DISCRETION OF THE OWNER/LANDSCAPE ARCHITECT.
 - SOIL TO BE REMOVED IN PLANTING AREA IS TO BE DISPOSED OF LEGALLY OFF-SITE.
8. TREE SUPPLIER SOLE SOURCE CONTACT:
THE SOLE SOURCE CONTACT IS MONROVIA NURSERY COMPANY OR APPROVED EQUIV.
9. SHRUB SUPPLIER SOLE SOURCE CONTACT:
THE SOLE SOURCE CONTACT IS MONROVIA NURSERY COMPANY OR APPROVED EQUIV.
10. CONTRACTOR SHALL BE RESPONSIBLE FOR VERIFYING ALL PLANT COUNTS AND SQUARE FOOTAGES. QUANTITIES ON PLANS TAKE PRECEDENCE OVER WRITTEN QUANTITIES.
11. PROVIDE MATCHING FORMS AND SIZES FOR ALL PLANT MATERIALS WITHIN EACH SPECIES AND SIZE DESIGNATED ON THE DRAWINGS.
12. FINISH GRADES OF ALL TURF AREAS SHALL BE (1") BELOW ADJACENT CURB OR PAVEMENT. FINISH GRADES OF ALL SHRUB AREAS SHALL BE (2") BELOW ADJACENT CURB, PAVEMENT, OR HEADER.

CATEGORY & SYMBOL	BOTANIC NAME	COMMON NAME	FOLIAGE & MATURE SIZE	SIZE	QTY	WATER USE	DETAIL	REMARKS
	CERCIDIUM 'DESERT MUSEUM'	DESERT MUSEUM PALO VERDE	DECIDUOUS 25'W X 25'H	48" BOX	3	VERY LOW	5-8 / L1000	MULTI-TRUNK
	LAGERSTROEMIA INDICA X FAURIEI 'NATCHEZ'	NATCHEZ CRAPE MYRTLE	DECIDUOUS 20'W X 20'H	24" BOX	4	LOW	5-8 / L1000	STANDARD
	MAGNOLIA GRANDIFLORA	SOUTHERN MAGNOLIA	EVERGREEN 30'W X 50'H	6" CALIPER	4	MODERATE	5-8 / L1000	STANDARD
	PLATANUS X HISPANICA 'BLOODGOOD'	BLOODGOOD LONDON PLANE TREE	DECIDUOUS 30'W X 40'H	5" CALIPER	3	MODERATE	5-8 / L1000	STANDARD
	EXISTING TREE TO REMAIN	-	-	-	-	-	-	-

CATEGORY & SYMBOL	BOTANIC NAME	COMMON NAME	SIZE	SPACING	QTY	WATER USE	DETAIL	REMARKS
GROUND COVER								
	CARISSA MACROCARPA 'GREEN CARPET'	GREEN CARPET NATAL PLUM	1 GALLON	24" O.C.	169	LOW	1-4 / L1000	-
	TRACHELOSPERMUM JASMINOIDES	STAR JASMINE	1 GALLON	24" O.C.	58	MODERATE	1-4 / L1000	-
	LANTANA MONTEVIDENSIS	TRAILING LANTANA	1 GALLON	24" O.C.	343	LOW	1-4 / L1000	-
SHRUBS								
	GREVILLEA 'NOELLII'	NOELL'S GREVILLEA	5 GALLON	36" O.C.	21	LOW	1-4 / L1000	-
	HESPERALOE PARVIFLORA 'BRAKELIGHTS'	BRAKELIGHTS YUCCA	5 GALLON	24" O.C.	26	VERY LOW	1-4 / L1000	-
	LIGUSTRUM JAPONICUM 'TEXANUM'	WAXLEAF PRIVET	5 GALLON	48" O.C.	32	MODERATE	1-4 / L1000	-
	RHAPHIOLEPIS INDICA 'CLARA'	CLARA INDIAN HAWTHORN	5 GALLON	36" O.C.	101	LOW	1-4 / L1000	-
	SALVIA CLEVELANDII 'WINNIFRED GILMAN'	WWINNIFRED GILMAN CLEVER AND SAGE	5 GALLON	36" O.C.	27	LOW	1-4 / L1000	-


 plainjoestudios
ARCHITECTURE

WWW.PLAINFOESTUDIOS.COM 7345 PILUTE CREEK DR., CORONA, CA 92681

© 2010 Plain Joestudios LLC. All rights reserved. This advertisement may contain copyrighted material from artists whose names are listed herein. Artists and their use and publication shall be restricted to the original use for which they were prepared. Re-use reproductions or publications by any method, in whole or in part, is prohibited except by written permission from the Plain Joestudios LLC. No portion of this advertisement may be reproduced without the express written consent and contact with them shall constitute Prima Facie evidence of acceptance of these restrictions.

[illegible]

MENLO CHURCH	
CLIENT NAME:	
MENLO CAMPUS	
PROJECT NAME:	
ADDRESS:	590 SANTA CRUZ AVE, MENLO PARK, CA 94025
PLANTING SCHEDULE	
SHEET NAME:	
BUILDING PERMIT NO.	
PERMIT #	
USE PERMIT NO.	
Approver	
PROJECT MANAGER	
P. MANAGER	
PROJ. NO.	SLA4322
DATE	03/06/2026
PROJECT STATUS	
DESIGN DEVELOPMENT	
SHEET NO.	
L800	



TREE LEGEND			
CATEGORY & SYMBOL	BOTANIC NAME	COMMON NAME	QTY
	CERCIDIUM 'DESERT MUSEUM'	DESERT MUSEUM PALO VERDE	3
	LAGERSTROEMIA INDICA X FAURIEI 'NATCHEZ'	NATCHEZ CRAPE MYRTLE	4
	MAGNOLIA GRANDIFLORA	SOUTHERN MAGNOLIA	4
	PLATANUS X HISPANICA 'BLOODGOOD'	BLOODGOOD LONDON PLANE TREE	3
	EXISTING TREE TO REMAIN		

plainjoestudios
ARCHITECTURE

WWW.PLAINJOESTUDIOS.COM

7345 PIUTE CREEK DR., CORONA, CA 92881

These drawings and/or the accompanying specifications are instruments of service and are the exclusive property of the Architect. They are to be used only for the project and site described herein. No part of these drawings or specifications may be reproduced or published in any form, in whole or in part, without the written permission of the Architect. Title to these plans and/or specifications shall remain with the Architect without prejudice and legal recourse shall remain with the Architect. No other reproduction or use is permitted.

REVISIONS		
NO.	DATE	COMMENT

MENLO CHURCH

CLIENT NAME:

MENLO CAMPUS

PROJECT NAME:

590 SANTA CRUZ AVE, MENLO PARK, CA 94025

ADDRESS:

TREE PLANTING PLAN

SHEET NAME:

BUILDING PERMIT NO.

PERMIT #

USE PERMIT NO.

Approver

PROJECT MANAGER

P. MANAGER

PROJ. NO.

SLA4322

DATE


03/06/2026


PROJECT STATUS

DESIGN DEVELOPMENT

SHEET NO.

L801





SHRUB LEGEND			
CATEGORY & SYMBOL	BOTANIC NAME	COMMON NAME	QTY
GROUND COVER			
	CARISSA MACROCARPA 'GREEN CARPT'	GREEN CARPET NATAL PLUM	169
	TRACHELOSPERMUM JASMINOIDES	STAR JASMINE	58
	LANTANA MONTEVIDENSIS	TRAILING LANTANA	343
SHRUBS			
	GREVILLEA 'NOELLI'	NOELL'S GREVILLEA	21
	HESPERALOE PARVIFLORA 'BRAKELIGHTS'	BRAKELIGHTS YUCCA	26
	LIGUSTRUM JAPONICUM 'TEXANUM'	WAXLEAF PRIVET	32
	RHAPHIOLEPIS INDICA 'CLARA'	CLARA INDIAN HAWTHORN	101
	SALVIA CLEVELANDII 'WINNIFRED GILMAN'	WINNIFRED GILMAN CLEVELAND SAGE	27

plainjoestudios

ARCHITECTURE

WWW.PLAINGOESTUDIOS.COM7345 PIUTE CREEK DR, CORONA, CA 92881

These drawings and/or the accompanying specifications are instruments of service and are the exclusive property of the Architect. They are to be used only for the project and site described herein. No part of these drawings or specifications may be reproduced or published in any form, in whole or in part, without the written permission of the Architect. Title to these plans and/or specifications shall remain with the Architect without prejudice and legal action may be taken without limitation of time to enforce this condition of acceptance of these drawings.

REVISIONS		
NO.	DATE	COMMENT

MENLO CHURCH

CLIENT NAME:

MENLO CAMPUS

PROJECT NAME:

590 SANTA CRUZ AVE, MENLO PARK, CA 94025

ADDRESS:

SHRUB PLANTING PLAN

SHEET NAME:

BUILDING PERMIT NO.

PERMIT #

USE PERMIT NO.

Approver

PROJECT MANAGER

P. MANAGER

PROJ. NO.

SLA4322

DATE


03/06/2026

PROJECT STATUS

DESIGN DEVELOPMENT

SHEET NO.

L901





LEGEND

- FIRE HYDRANT - REFER TO CIVIL SHEETS FOR MORE INFO
- AREA LIGHT - REFER TO CIVIL SHEETS FOR MORE INFO
- POWER POLE - REFER TO CIVIL SHEETS FOR MORE INFO
- FENCE LINE
- PROPERTY BOUNDARY LINE
- PARCEL LINE
- ACCESSIBLE PATH OF TRAVEL
- EASEMENT
- LIMITS OF WORK

MENLO PARK: A TOTAL OF 150 SPACES AROUND CAMPUS OF WHICH 11 ARE DESIGNATED HANDICAPPED PARKING.

- THE NUMBER OF PARKING SPACES AVAILABLE AT EACH LOCATION.
- MENLO PARK: A TOTAL OF 150 SPACES AROUND CAMPUS OF WHICH 11 ARE DESIGNATED HANDICAPPED PARKING.
 - SARATOGA: A TOTAL OF 131 SPACES OF WHICH 8 ARE DESIGNATED HANDICAPPED PARKING.

REVISIONS

NO.	DATE	COMMENT

CLIENT NAME: MENLO CHURCH
PROJECT NAME: MENLO PARK SITE
ADDRESS: 950 SANTA CRUZ AVENUE, MENLO PARK, CA
SHEET NAME: AERIAL SITE PLAN - FOR REFERENCE ONLY

BUILDING PERMIT NO.

PERMIT #

USE PERMIT NO.

Approver

PROJECT MANAGER

PM

PROJ. NO. PROJECT NO.

DATE 2/18/2026

PROJECT STATUS

SCHEMATIC DESIGN

SHEET NO.

SP1.2

plainjoestudios
ARCHITECTURE

WWW.PLAINJOESTUDIOS.COM 7345 PIUTE CREEK DR. CORONA, CA 92881
These drawings and/or the accompanying specifications are instruments of service and are the exclusive property of the Architect. They are to be used only for the project and site specified herein. No part of these drawings or specifications shall be reproduced or published in any form, in whole or in part, without the prior written permission of the Architect. If the drawings are used for any other project, the user assumes all liability for any errors or omissions. The Architect does not warrant the accuracy of the information provided herein.